

FALCONBRIDGE LTD

Form 425

June 12, 2006

Filed by Inco Limited
Pursuant to Rule 425 under the Securities Act of 1933
Subject Company: Falconbridge Limited
Commission File No. 1-11284
Inco Limited Commission File No. 1-1143

Sudbury Inco and Falconbridge

Production Rates

Inco 2005 Mill

96,673 tonnes nickel-in-concentrate

117,618 tonnes copper-in-concentrate

3,259 tonnes cobalt-in-concentrate

Falconbridge 2005 Mill

19,708 tonnes nickel-in-concentrate

23,367 tonnes copper-in-concentrate

354 tonnes cobalt-in-concentrate

Reserves

(as of December 31, 2005)

Inco

Proven: 69.3 million tonnes grading 1.22% nickel and 1.32% copper

Probable: 93.7 million tonnes grading 1.22% nickel and 1.31% copper

Falconbridge

Proven: 3.2 million tonnes grading 1.26% nickel and 1.78% copper

Probable: 4.9 million tonnes grading 1.13% nickel and 1.27% copper

Resources

(as of December 31, 2005)

Inco

Measured: 11.3 million tonnes grading 1.19% nickel and 1.07% copper

Indicated: 35.6 million tonnes grading 1.40% nickel and 1.14% copper

Inferred: 47.7 million tonnes grading 1.78% nickel and 1.94% copper

Falconbridge

Measured: 3.3 million tonnes grading 1.85% nickel and 0.61% copper

Indicated: 17.2 million tonnes grading 2.38% nickel and 1.09% copper

Inferred: 29.0 million tonnes grading 1.80% nickel and 2.60% copper

Sudbury A Century of Mining

Inco and Falconbridge have been mining nickel-copper ores in the Sudbury area of northern Ontario since 1902 and 1929, respectively. Today, Inco's Sudbury operations consist of six underground mines, one mill, one smelter and one refinery, employing approximately 6,400 people. Falconbridge operations consist of three underground mines, a mill and a smelter, employing approximately 1,500 people.

These facilities are spread throughout the 60-kilometre-long, oval-shaped geological formation known as the Sudbury Basin. Nickel and copper are the primary metals produced, but cobalt and precious metals such as platinum and palladium are also recovered.

Sudbury Geology

The nickel-copper ore deposits in Sudbury are associated with a large body of igneous rock known as the Sudbury Igneous Complex (SIC). The SIC has an elliptical shape with the major axis striking northeast for a distance of 60 kilometres and the minor axis approximately 27 kilometres long. The widely held belief is that the SIC is the product of a meteorite impact.

The mineralization in the deposits consists of zones of massive, inclusion-bearing massive, stringer and disseminated sulphides associated with brecciated host rocks located in footwall troughs or embayments around the outer, lower edge of the SIC. The minerals pyrrhotite, pentlandite, chalcopyrite and pyrite are the major sulphides in the Sudbury ores. Magnetite is a common oxide mineral. Pentlandite is the main nickel-bearing sulphide with a nickel content of 33 to 35 weight percent. It also contains an average of 1 weight percent cobalt. Chalcopyrite is the main copper-bearing sulphide with a copper content of about 33 weight percent.

Sudbury Mines

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Three mining zones shaft 3,400 feet

Uses post pillar cut and fill in the main and west orebodies

Uses narrow vein drift and fill in the 153 orebody

Currently developing new footwall copper orebody 170

Employs approximately 460 people

History

1892 Discovered by Thomas Baycroft

1942 Purchased by Inco

1970 Coleman began production

1982 Production suspended

1989 Production reactivated

1996 McCreedy East mine accessed via an underground ramp from Coleman shaft

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Five mining zones shaft 4,200 feet

Slot and slash is current primary mining method

Vertical retreat mining method used in the 100 orebody

Uppers retreat mining occurs in the 138 orebody

Orebodies open to depth

Employs approximately 270 people

History

1884 First ore discovered by Thomas Froid

1886 Mine opened by Canadian Copper Co.

1963 #2 shaft sunk to access high grade 138 orebody

1978 Production suspended

1984 Production reactivated

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Six mining zones shaft 4,250 feet

Uppers retreat mining used in 80% of mining

Uses mechanized cut and fill, uppers retreat mining and slot and slash method in remaining 20%

Orebodies open to depth

Employs approximately 304 people

History

1885 Evans orebody discovered by F.J. Eyre

1889 Evans pits worked to a depth of 250 feet

1940-1960 Surface diamond drilling ore discovered north of the 800 orebody

1970 Production began

2004 880 orebody breakthrough to North mine established

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Seven mining zones shaft 7,137 feet

Ramp extended to 7,810 feet

Predominant mining method is slot and slash with mechanized cut and fill used in the 3,000 complex

Orebody open to depth

Employs approximately 373 people

History

1856 First discovered by A.P. Salter

1886 Rediscovered by H. Ranger

1901 First ore produced from open pit

1925 Inco purchased property

1928-1935 Series of shaft sinking reached 5,400 level

1969 #9 shaft sunk to 7,137 feet

2006 Ramp currently down to 7,810 level

Sudbury Mines

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Six mining zones two shafts with deepest to 4,075 level

Frood and Stobie use primarily sub-level cave method of mining with vertical retreat method used mostly below 2,400 level and some uppers retreat method in pillar recovery

Employs approximately 451 people

History

1883 Ore discovered by CPR construction crew

1884 Orebody staked by Thomas Frood

1911 Shaft sinking began at Frood mine

1938 Open pit mining began at Frood mine

1941 Open pit mining began at Stobie mine

1965 #9 shaft sunk to service Frood and Stobie

2000 Frood and Stobie merged

Key Facts

100% ownership (Inco)

Produces copper, nickel and precious metals

Three mining zones shaft to 4,250 level

Uses slot slash and uppers retreat methods of mining

Employs approximately 197 people

History

1891 Discovered by John Cryderman

1908 First production from #1 shaft

1929 Inco acquired property from Mond Nickel

1937 Mine reopened at 1,200 TPD

1986 Underground portion temporarily suspended

1994 Reopened

2005 Ramp completed to 5,100 level

Key Facts

100% ownership (Falconbridge)

Produces nickel and copper

Falconbridge's largest operating mine in Sudbury

Seven mining zones shaft 4,921 feet

Uses open stope mining, plus cut and fill methods

Employs approximately 300 people

History

- 1950 Discovered east of Falconbridge's Onaping mine
- 1958 Onaping mine began production
- 1985 Craig production began via Onaping shaft
- 1992 Production continued via Craig shaft
- 1997 Craig and Onaping amalgamated
- 1999 Onaping included as part of Craig mine

Key Facts

100% ownership (Falconbridge)

Produces copper, nickel and precious metals

Six mining zones

Shaft depth: production shaft 5,000 feet; service shaft 5,000 feet

Uses open stope mining, plus cut and fill methods

Employs approximately 405 people

History

- 1929 Falconbridge acquired the claims
- 1951 Surface drilling began at nearby Strathcona
- 1956 Surface drilling began at Fraser mine
- 1968 Strathcona began ore production
- 1983 Fraser mine began ore production
- 1999 Link between Fraser and Strathcona completed
- 2000 Fraser and Strathcona merged

Key Facts

100% ownership (Falconbridge)

Produces copper, nickel and precious metals

Three mining zones shaft 5,374 feet

Uses open stope mining, plus cut and fill methods

Located adjacent to Inco's undeveloped Blezard property

Employs approximately 165 people

History

- 1885 Stobie outcrop discovered
- 1935 Falconbridge acquired claims
- 1941-1956 Drilling occurred
- 1969-1974 Drilling occurred
- 1971 Preliminary mine development began; halted for economic reasons
- 1989 Shaft sinking began
- 1991 Production began

Sudbury Processing Facilities

Key Facts

100% ownership (Inco)

Built in 1971

Receives ore from six different mines by rail (Stobie, Creighton, Coleman) and truck (North, South, Garson)

Currently produces one bulk copper-nickel concentrate for the Copper Cliff smelter

New copper circuit planned to start producing copper concentrate (150,000 tonnes/year) in late 2006

Current capacity of 33,500 tonnes/day peak for annual capacity of 9.5 million tonnes per year

SAG mill processes approximately 19,000 tonnes/day with conventional crushing circuit and two parallel rod mills at 14,500 tonnes/day (with five parallel ball mills) to give 56% -200 mesh

Revert circuit designed to feed crushed material (slag, bricks, ore) to dedicated rod mill

Employs approximately 184 people at Clarabelle plus 40 people in tailings and water treatment plants

Key Facts

100% ownership (Inco)

Processing facilities include a bulk (nickel and copper) smelter circuit, a matte processing plant, a copper smelter as well as a sulphuric acid plant, liquid SO₂ plant and two oxygen plants

Smelts nickel-copper concentrate primarily from Inco's Sudbury and Voisey's Bay operations

Processes third-party mineral concentrates and other third-party recycled feed materials

Bulk smelter uses two Inco flash furnaces to smelt mineral concentrates with high purity oxygen to produce a matte product; the matte is further purified in converters, cast, cooled, crushed and milled to separate the nickel and copper; most of the nickel product is roasted and copper product is further processed to anode copper

Smelter complex produces nickel oxides and metallics (platinum-group metals containing product) that are sent to the Inco refineries for further refining, Sinter 75 (a 75% nickel oxide) that is sold, and copper anodes that are refined at Falconbridge's CCR copper refinery in Montreal

Production capacity is 600 million pounds per year of copper and nickel in various products annually

An Inco smelter has operated at Copper Cliff since 1930, the flash furnaces and acid plant since 1993

Employs approximately 685 people

2005 Smelter Production Rates

97,500 tonnes nickel in products shipped to refineries or markets

100,200 tonnes net copper to refineries

1,340 tonnes cobalt in products shipped to refineries

Sudbury Processing Facilities

Key Facts

100% ownership (Inco)

Copper Cliff Nickel refinery began operation in 1972

Processes nickel oxide and nickel sulphides from the Copper Cliff smelter; also processes nickel containing residues from the Clydach Nickel refinery as well as purchased nickel/cobalt/platinum-group metal feeds; materials are melted in two top-blown rotary converters and granulated

Inco Pressure Carbonyl (IPC) plant extracts nickel from the granules into a gaseous nickel carbonyl phase; three reactors at operating pressures of 1,000 psi and extraction efficiency of approximately 97.5%

Decomposition of nickel carbonyl by heating to produce nickel pellets, discs, chips and powders at 99.99% purity

Residues containing the Ontario operation's cobalt and platinum-group metals are processed in the Electrowinning Department where copper is removed (plated to cathodes) and impurities are treated

Employs approximately 305 people

2005 Copper Cliff Nickel Refinery Production Rates

56,534 tonnes nickel pellet and powder

8,188 tonnes copper cathode

Port Colborne refinery began operation in the early 1900s

Processes nickel/cobalt carbonate from electrowinning to produce cobalt rounds; nickel carbonate is returned to the Copper Cliff smelter

Upgrades platinum-group metal residues from electrowinning to produce a cake for the Acton refinery; lead carbonate is sold to the Falconbridge Brunswick smelter

Performs shearing/packaging services for Thompson nickel cathode and Copper Cliff Nickel refinery nickel pellet/discs

Employees approximately 190 people

2005 Port Colborne Refinery Production Rates

1,225 tonnes cobalt

596,100 troy ounces platinum-group metals and gold

Key Facts

100% ownership (Falconbridge)

Produces two concentrate streams: nickel-copper concentrate that goes to Falconbridge's Sudbury smelter, and a copper concentrate that goes to the Kidd Metallurgical Division in Timmins

Built in 1968

Capacity of approximately 3 million tonnes per year

Crushing plant 2-stage crushing to half inch size

Nickel and copper ores are blended before milling

Milling at 370 tonnes per hour in two parallel roll mill/ball mill circuits (55% -200 mesh)

Employs approximately 92 people

Key Facts

100% ownership (Falconbridge)

Processing facilities include a smelter and a sulphuric acid plant

Smelts nickel-copper concentrates from Sudbury and Raglan mines

Processes custom feed materials

Smelter's electric furnace converts the mineral concentrate into a high-grade matte containing nickel, copper, cobalt and platinum group metals

Capable of producing 130,000 tonnes of nickel-copper matte annually

Smelted and granulated matte is sent by rail to Québec City, then shipped overseas to the Nikkelverk refinery in Norway for refining into pure metals

Originally built in 1928 and has been expanded and upgraded since

Employs approximately 270 people

2005 Smelter Production Rates

63,093 tonnes nickel-in-matte

20,798 tonnes copper-in-matte

2,423 tonnes cobalt-in-matte

Sudbury Growth Projects

Sudbury Growth Projects

After more than a century of mining in the area, the Sudbury Basin continues to provide promising growth prospects for the future. Both Inco and Falconbridge continue to identify and advance projects that will ensure the next generation of mining activity in Sudbury.

Key Facts

100% ownership (Falconbridge)

Discovered in 2001, Nickel Rim South promises to be one of the lowest cost mines in the history of Falconbridge's Sudbury operations

Scheduled to commence production in 2009, with a minimum 12-year mine life

Located immediately adjacent to Inco's Victor property and nine kilometres north of Falconbridge's Sudbury smelter

High grade mineral resource located between 3,600 foot and 5,900 foot depth

High-grade 13.4 million tonne inferred resource grading 1.8% nickel, 3.3% copper, 0.04% cobalt, 1.8 g/t platinum, 2.0 g/t palladium and 0.8 g/t gold

A five-year deposit definition program began in the first quarter of 2004

Capital investment to bring the mine into production is estimated to be US\$524 million

Decision to proceed with feasibility study for full mine development to be made after underground exploration program is completed in 2008

Outstanding health and safety record; reaching one million working hours without a lost-time injury in August 2005

Comprehensive Environmental Management System provides for responsible stewardship of the site and surrounding environment

Project Timeline

September 2003 Began shaft pilot hole drilling

March 2004 Began site preparation

February 2005 Began ventilation shaft sinking

April 2005 Began main shaft sinking

June 2005 Surface plant completed

February 2007e Begin underground lateral development

January 2008e Begin underground diamond drilling

November 2008e Complete deposit definition

December 2009e Complete project

Key Facts

100% ownership (Inco)

Initial discovery in 1944 of the near surface 725 zone; 720 and 740 zones discovered in 1955

Intermittent surface and underground exploration programs from 1950s-early 1990s identified significant mineralization; follow up exploration drilling from 1995-2000 intersected mineralization to 5,600 level

Additional exploration drilling in 2005/2006 to support prefeasibility level of study

Located adjacent to existing Copper Cliff South mine

Indicated/inferred resources of 11.4 million tonnes grading 1.72% nickel, 1.41% copper, 0.04% cobalt, 1.42 g/t platinum, 1.86 g/t palladium and 0.52 g/t gold

Scoping level study is ongoing based on results from recent exploration program

Sudbury Growth Projects

Key Facts

100% ownership (Inco)

Three-compartment timbered shaft currently sunk to 4,100 feet; exploration drifts driven on 650, 1,250 and 1,850 levels; little infrastructure underground; development work suspended in 1972

Mineable reserve of 7.8 million tonnes grading 1.46% nickel, 2.03% copper, 0.04% cobalt, 1.97 g/t platinum, 2.08 g/t palladium and 0.75 g/t gold

Indicated/inferred resources of 1.46 million tonnes grading 0.89% nickel, 1.68% copper, 0.02% cobalt, 1.41 g/t platinum, 1.49 g/t palladium and 0.53 g/t gold

Currently preparing project feasibility study

Key Facts

100% ownership (Inco)

Located adjacent and north of Nickel Rim South

In 1974, surface exploration drilling discovered the Victor Main contact mineralization between the 5,000 feet and 5,500 feet levels

The 1989 exploration, utilizing borehole UTEM technology, resulted in the discovery of the Victor deep footwall mineralization at the 8,000 feet level

From 1995-1998 completed advanced underground exploration program (shaft sinking, drifting and exploration diamond drilling)

Current indicated contact resource is 7.6 million tonnes grading 1.67% nickel, 0.34% copper and 0.3 g/tonne PGE-Au.

The inferred contact resource is 6.3 million tonnes grading 1.5% nickel, 0.4% copper and 0.3 g/tonne PGE-Au with an additional 6.16 million tonnes of inferred footwall resource grading 1.9% nickel, 6.2% copper and 6.7 g/tonne platinum-group elements-gold

Significant exploration potential for the discovery of high-grade footwall, copper precious metal orebodies and expansion of the contact orebodies and high-grade copper-nickel areas within them; high-grade copper precious metal zones have been identified at depth and Falconbridge has discovered copper precious metals zones at its Nickel Rim South project; it is believed that additional exploration will discover additional footwall mineralization

Key Facts

100% ownership (Falconbridge)

Orebody located two kilometres from Fraser mine

Subject of exploration programs since 1995

Edgar Filing: FALCONBRIDGE LTD - Form 425

Currently hosts four zones of mineralization within a 2.5 kilometre strike length; resources as of December 31, 2005 totaled 3.3 million tonnes of measured resources grading 1.85% nickel and 0.61% copper, 1.55 million tonnes of indicated resources grading 1.69% nickel and 0.46% copper, and 2.4 million tonnes of inferred resources grading 1.8% nickel and 0.5% copper

Pre-feasibility study is awaiting the results of a continuing underground exploration drifting and drilling program

Key Facts

100% ownership (Falconbridge)

Orebody located below former Onaping mine, accessible via Craig mine infrastructure

Indicated resources of 14.6 million tonnes grading 2.52% nickel and 1.15% copper, and an additional 1.2 million tonnes of inferred resources grading 3.6% nickel and 1.2% copper

Falconbridge continues research on enabling technologies to mine safely at greater depths

Key Facts

100% ownership (Inco)

Located adjacent to Falconbridge's Thayer-Lindsley mine (shown left)

Contains copper, nickel and precious metals

Two mineralized zones, no shaft on property

Mineralization continues on to Falconbridge property at depth (approximately 2,000 level)

Important Legal Information

This communication is being made in respect of Inco Limited's proposed combination with Falconbridge Limited. Inco has filed with the U.S. Securities and Exchange Commission (SEC) a registration statement on Form F-8 (containing an offer to purchase and a share exchange take-over bid circular) and amendments thereto, and, if required, will file other documents with the SEC in connection with the proposed combination. Falconbridge has filed a Schedule 14D-9F and amendments thereto with the SEC in connection with Inco's offer and has filed and, if required, will file other documents regarding the proposed combination with the SEC.

INVESTORS AND SECURITYHOLDERS ARE URGED TO READ THE REGISTRATION STATEMENT AND ANY OTHER RELEVANT DOCUMENTS FILED OR TO BE FILED WITH THE SEC WHEN THEY BECOME AVAILABLE BECAUSE THEY WILL CONTAIN IMPORTANT INFORMATION.

Investors and security holders may obtain copies of the registration statement and Inco's and Falconbridge's SEC filings free of charge at the SEC's website (www.sec.gov). In addition, documents filed with the SEC by Inco may be obtained free of charge by contacting Inco's media or investor relations departments. Documents filed with the SEC by Falconbridge may be obtained free of charge by contacting Falconbridge's investor relations department.

Filings made by Inco and Falconbridge with Canadian securities regulatory authorities, including filings made in connection with the offer, are available at www.sedar.com.